BLUE SKIES FOR OUR CHILDREN

Honda Motorcycle and Scooter India Pvt. Ltd

Vithalapur , Ahmedabad, Gujarat

HMSI – Vithalapur Plant (4F)

Contents

Honda Two Wheelers in India

1st Factory (Haryana)

Land area : 210,000㎡
Building area : 102,000㎡
Productive capacity :1,650,000



2nd Factory (Rajasthan)

Land area : 237,822㎡
Building area : 104,283㎡
Productive capacity :1,200,000

3rd Factory (Karnataka)

Land area : 350,000㎡
Building area :132,539㎡
Productive capacity :2,400,000

4th Factory (Gujarat)

Total Area : 93 Acre (376,960 m²)
Investment : 1,100 Crores
Production Capacity: 1.2 Million Veh / Yr
Production Line : 2 Main lines (4400/day)
Manpower : 4056

- 100% Capacity Utilization of Line 1 in April'16
- Second Line Started in Jun'2016

Operation started 18th Jan 2016

About 4F Factory

2013

HMSI president Mr Muramatsu with Hon'ble PM & the then Hon'ble CM of Gujarat Sh. Narendra Modi

Further Strengthening buss. Ties with India Japan.

2014

Land Allotment

Consent to Establish

Land Development

Construction

2015

M/c Installation

Factory Office

Factory Ready with in record timings of 13 Months

2016

Start of Commercial Production

2017 - 2020

Product Technology Enhancements



- Capacity – 1.2 Mil/Year

Model
- Activa,
- Dio
- Grazia

Right now we are producing best quality product to considering environment factor

Manufacturing Process Flow


Die Casting


Machining


Engine Assembly


MS Packing


Export

Export


Suppliers


Material Storage


Frame Assembly


Vehicle Quality

Domestic


Press Shop


Weld Shop


Paint Shop


Logistics


Dispatch to Dealer

All product after quality testing goes to market through logistic

Contents

Energy Sources

Grid Electricity

Sanctioned Load: 14.5MVA

Yearly Elect. Units : 25 Mn Kwh

Solar Electricity

Capacity : 7 MWp

Yearly Elect. Generation : 10 Mn. Kwh

Wind Electricity

Capacity : 4.7 MWp

Yearly Elect. Generation : 11.7 Mn. Kwh

LNG

Yearly Consumption : 2354 TOE

Overall Energy Consumption



Energy Consumption→ 63% Electricity and 37% LNG

Energy Consumption

Electricity Consumption

Yearly Elect. Consumption : 45 Million Kwh



LNG Consumption- Heating

Yearly Heat Consumption : 2,354 TOE



Energy Consumption

Yearly Energy Consumption : 6223 TOE



Major Energy Consumption → Paint Shop , Utility , Die-casting and Machin Shop

Energy Vision

SEC Plan

KOE- Kg. of Oil Equivalent

KOE / Veh



2017 to 2018

Waste Heat Recovery
(LNG Saving: 2500 m3/day)

Installation of small Compressor
1.0 Rs/V

2018-19

Heat Pump
(LNG Saving: 550 m3/day)
Waste Heat from DC M/C
Reuse Heat in Paint Process

AC Automation
(Elect Saving : 269 / day)

5 MW

Renewable Energy

2019-20

Membrane Distillation
(LNG Saving: 1350 m3/ day)
Reject of RO3 in ZLD
Heated by Waste Heat

Auto Tube Cleaner in Chiller

2.0 MW
2.0 MW
2.0 MW

2020-21

Centrifugal Comp.

EC Fan in Air Washer

Smart Kitchen Vessel

Solar Cooking
(LNG Saving:350m3/day)

Wind Turbine
3.0 MW
4.0 MW

VAM (Solar)

2021-22

Strive to be Benchmark

- Recycle Waste Energy up to maximum Potential
- Control of Potential Energy Wastage Area
- Control and Optimize Energy Consumption in Prod. M/Cs

Improvement in Energy Efficiency by 3R Principle

Contents

Internal Benchmarking

Factory wise Change Process

Process	1F	2F	3F	4F
Die-Casting 	X	●	X	●
Chiller 	X	●	X	●
Air Washer 	●	●	X	●

Electricity (kWh / Veh)



LNG (m^3 / Veh)



Overall SEC (KOE / Veh)

KOE- Kg. of Oil Equivalent



Energy Target Setting

KOE/Veh



Setting Energy Target considering Internal Benchmark and Company Vision

SEC Internal Process Benchmarking

Electricity (kWh / Veh)



LNG (m^3 / Veh)



Process wise Benchmarking

Electricity (Kwh / Veh)

Process	1F	2F	3F	4F			Trend w.r.t. 2F	Judge	Remarks
				M/C	AW	Total			
Paint	8.09	**10.63**	7.76	7.61	-	**7.61**	↘	🟢	ETP is in Utility
Utility & Env.	9.45	**7.79**	9.25	10.04	0.07	**10.11**	↗	🟢	Common Water Treat.
MA	6.08	**4.30**	4.31	3.22	0.65	**3.87**	↘	🟢	
Weld	2.43	**1.79**	1.92	1.69	0.63	**2.32**	↗	🟢	Wedding length is higher in 4F: 2F : 0.94 kwh/m, 4F: 0.93 Kwh/m
Press	0.47	**0.45**	0.37	0.28	0.11	**0.39**	↘	🟢	
QC	2.65	**0.58**	0.41	0.41	0.20	**0.61**	↗	○	
Frame Assembly	0.93	**0.80**	0.48	0.15	1.05	**1.20**	↗	○	
Engine Assembly	0.54	**0.43**	0.39	0.15	0.30	**0.45**	→	🟢	
MS	0.58	**0.55**	0.39	-	0.35	**0.35**	↘	🟢	
Logistics	0.25	**0.11**	0.25	0.05	0.27	**0.31**	↗	🟢	Higher Storage Capacity 4F : 10,080 m^2 (33Kwh/m^2), 2F : 3,370m^2 (38Kwh/m^2)
Admin	0.60	**-**	0.16	0.34	0.41	**0.75**	↗	🟢	
Canteen	0.54	**0.58**	1.18	0.39	0.31	**0.70**	↗	○	
Lighting	-	**1.96**	-	1.95	-	**1.95**	↘	🟢	
DC	-	**8.93**	-	4.98	0.88	**5.87**	↘	🟢	
Paint Chiller	-	**1.99**	-	1.90	-	**1.90**	↘	🟢	
Total	34.85	**41.07**	26.86	33.15	5.23	**38.38**			

LNG (m3 / Veh)

Process	1F	2F	3F	4F	Trend w.r.t. 2F	Judge	Remarks
Die Casting		**1.13**	-	**0.76**	↘	🟢	
Paint shop		**1.33**	0.50	**0.58**	↘	🟢	
Boiler & HWG		**0.95**	0.72	**0.58**	↘	🟢	
Canteen		**0.14**	-	**0.11**	↘	🟢	
Total		**3.55**	1.22	**2.03**	↘	🟢	

Process wise benchmarking is also done for Target Setting

SEC National / International Benchmarking

National Benchmarking





International Benchmarking



No Standard Benchmarking available for Automobile sector, Competitor data collected from various presentation available at CII website.

4F Consumption			Process Comparison		
Process	Elect	LNG	4F	Comp1	Comp2
Paint	10.69	0.58	✓	✓	✓
MA	4.20	-	✓	✓	✓
QC	0.76	-	✓	✓	✓
Weld	2.51	-	✓	✓	✓
Veh Assembly	1.68	-	✓	✓	✓
MS	0.60	-	✓	✓	✓
Press	**0.45**	**-**	✓	X	X
Logistics	0.61	-	✓	✓	✓
Utility & Env	10.24	0.58	✓	✓	✓
DC	**6.00**	**0.77**	✓	X	X
Heat Treatment	-	-	X	✓	✓

Process Improvement



Best Practices in Other Companies to be National Benchmark


VFD


EC Fan

IE4 Motor


ATC

Striving to become Benchmark

1. Install Smart solar kitchen



Investment	21 Mn
DOI	Jan'22
Annual Benefit	3.0 Mn Rs.

2. Install Hybrid Air conditioner

Install Solar + Electric ACs- Power Saving



Investment	1.9
DOI	Oct'21
Annual Benefit	1.2 Mn Rs.

3. Install Decanter for Sludge drying

Install Decanter for Sludge drying - Power Saving



Investment	1.9
DOI	Oct'21
Annual Benefit	1.2 Mn Rs.

4. Replacement ASU fan with plug fan

Replacement of PA ASU fan with plug fan



Investment in 96ki	25 Mn
DOI	Feb'22
Annual Benefit	Utility CR → Rs 5.4/V

5. Water heater for Prewash & Hot water line of ASU



Investment in 96ki	1.5 Mn
DOI	Nov'21
Annual Benefit	Utility CR → Rs 0.5/V

6. Hydroxy Generator in LNG supply line for efficient fuel burning in furnace



Investment in 96ki	4.0 Mn
DOI	Nov'21
Annual Benefit	Utility CR → Rs 1.1/V

Target to Save 93 Mn Rs in 2021-22

Contents

Energy Conservation Strategy

Green Field Phase(2014)

Improvement based on PDCA of Other Factories

Backward Curve Blowers in AW



LED Lighting

Natural Lighting Maximization

Operational Phase(2016...)

Continual Improvements to Control Energy consumption by 3R principle

Potential Wastage Area

Waste Energy Recycle



Recycle Waste Energy up to maximum Potential

Control of Potential Energy Wastage Area

Control and Optimize Energy Consumption in Prod. M/Cs

Optimize Energy Consumption

Renewable Energy Growth Plan

Solar Electricity



Wind Electricity



Solar Heating



Improve Energy Efficiency by 4R Principle

Conservation Approach – 4R (Reduce,Reuse,Renewable,Replenish)

93 & 94 Ki

LED Lights

Lighting T/F

Energy Efficient Blowers

Forward Curve



Backward Curve



5% More Eff.

IE3 Motor

Automation for Air Washers

Manual

Clock Timer

Dish Wash M/c

Cond. Recovery

Primer less Paint Technology



95 KI

Waste Heat Rec.



Heat Pumps

Sky pipe light

Roof Top Solar Panel

5 MW

Use of River Water

Blank Size Red.

Co-processing of Waste

Waste Thinner Recovery

96 Ki

Solar Heater

Solar Sludge Drying

Solar Dishes for Canteen

2MW

Wind Power PPA



Green Factory Certification

Thermal Energy Storage System



97 Ki

Rain Water Recharge



Bio-composting of Organic Waste

Green Earth

"Leave blue skies for our children"

Soichiro Honda, 1966
Founder, Honda Motor Co. Ltd.

CO_2 Emission : 39 kg/veh	CO_2 Emission : 33 kg/veh	CO_2 Emission : 19 kg/veh	CO_2 Emission : 14 kg/veh
Water Consumption : 0.21 KL/veh	Water Consumption : 0.19 KL/veh	Water Consumption : 0.15 KL/veh	Water Consumption : 0.08 KL/veh
VOC Emission : 170 gm/m^2	VOC Emission : 163 gm/m^2	VOC Emission : 160 gm/m^2	VOC Emission : 158 gm/m^2
Waste Generation : 5.2 kg/veh	Waste Generation : 4.6 kg/veh	Waste Generation : 4.4 kg/veh	Waste Generation : 4.3 kg/veh
Reduce Consumption	**Reuse / Recycle**	**Replace by RE source**	**Replenish Resources**

We have planned to achieve Global Honda Environment Commitment 2050 target by 2020

Encon Projects Implemented in Last 3 Years

Investment Projects

S.n.	Project Name	Year	Elect. Saving (Kwh / Yr)	LNG Saving (m3/ Yr)	Cost Saving (Mn Rs/ Year)	CO_2 Reduction (MT/Yr)	Investment (Million INR)	Payback (ROI)
A	EE Projects- Electricity							
1	Small Compressor	2017	88,015	-	0.55	47	2.0	42 months
2	Installation of Sky Pipe light	2018	50,000	-	0.32	43	2.23	60 months
3	AC Automation	2018	57,200	-	0.36	49	0.6	24 months
4	Air Washer and Compressed Air Automation	2018	455,675	-	2.87	387	2.0	12 months
5	Waste Heat Recovery- Melting Furnace	2018	752,950	-	4.74	640	8.0	20 months
6	Replacement of MH streetlight with LED	2019	166,375	-	1.05	141	1.5	12 months
7	Replace of Conventional blower with EC+ fan in AW	2020	4,327,400	-	25.0	3000	45.0	22 months
B	EE Project – Heating		-					
8	Waste Hear Recovery –Compressor	2018	-	692,450	24.24	1494	43.0	22 months
9	High Temperature Heat Pump	2019	-	148,225	5.19	319	10.6	24 months
10	Installation of MD Technology	2020	-	300,000	12 .0	607	32.5	33 months
Total (A+B)			**5,897,615**	**1,140,675**	**76 Mn Rs.**	**6727**	**147.43**	

Zero Investment Projects

S.n.	Project Name	Year	Elect. Saving (Kwh / Yr)	LNG Saving (m3/ Yr)	Cost Saving (Mn Rs/ Year)	CO_2 Reduction (MT/Yr)
1	Separate Switch to Lighting at various locations	2018	43,930	-	0.28	37
2	Timer Base Light Control at various locations	2018	1,43,167	-	0.90	122
3	Power saving by Auto reducing the ASU & Exhaust fan frequency during Lunch break.	2018	3,06,222	-	1.93	260
4	Use the Sludge pool booth water curtain line to primer zone water curtain	2019	1,63,943	-	1.03	139
5	Temperature Based Control of Compressor Cooling Tower Fan	2019	27600	-	0.17	23
6	TVR Design change in MEE for optimize consumption	2020	-	828,00	2.90	177
Total			**684,863**	**828,00**	**7.21**	**581**

Save 83 Mn INR / Year by Energy Efficiency Projects

Contents

Situation Analysis

SPC line current capacity (veh)



Capacity- 3600 vehicles (6 shift)

SPC line prod volume (Activa 110 + Activa 125) – Production



Sales demand high during festive season

In order to achieve Peak production

Cat.	Concern / Challenges
Environment	➢ High Energy Consumption ➢ Generation of waste
Quality	➢ Less time for preventive maintenance ➢ Dust generation → Booth pit & water curtain cleaning time NA
Mgmt.	➢ Daily overtime – 175 man hr. (C-shift)

Need to increase SPC capacity

Idea generation

Year	2016	2017 - 18	2020
Loading Pattern	KWP &K24  **1 Veh / hgr** **Global Honda concept-** Same as 3F	KWP &K24  **Bell -50% use** **1 Veh / hgr** **CR Theme :** T.E 30% to 38%	K0L & K0P K0L & K0P  **2 Veh / hgr**

SPC line part loading capacity doubled…

Environmental Impact

Carbon Footprint



KWh saving /day	740 KWh
KWh saving/yr.	2,00,000 KWh
Carbon emission reduced /Yr.	1,43,200 kg/Yr.
	149 Ton /Yr.

149 Ton/Yr.

Water Saving



Water /day - ASU	8 KL/day
Water/yr. -ASU	2160 KL
Water/Yr. - Primer	520 KL
Water/Yr. – Sludge Pit	240 KL
Total	2920 KL

2920 KL /Yr.

VOC 's reduction





3 gm/m2
(Till now)

Significant positive environment impact by reduction in all key aspects…

Replication Potential

Potential Areas



Inter Group

HMSI Factories India (Shared via HMSI BUKAI function)

1F-Manesar	2F-Tapukara	3F-Narsapura	4F - Vithalapur
			
NA	Applicable	Applicable	●

Global Honda Group's [Shared via A&O PAPO BUKAI meeting)

Indonesia	Vietnam	Thailand	Philippines	Bangladesh
				

Across Industry

Feasibility can be checked across other OEM's with similar parts

- Similar scooter models across OEM's in India
- All models have similar sheet metal parts
- Feasibility for painting pattern in 2 veh/hg condition can be checked

Horizontal- Other Lines

Taking Cue from success of this project, we have now targeted ABS lines (Plastic parts) for similar concept implementation…

Veh/hg – 2.5

Veh/hg – 4.0

This theme has huge replication potential within HMSI & across other automobile industries..

Contents

Roadmap for Zero CO2 Emission



Project : Hybrid Power 3.0MW	
Capacity	**3.0 MW**
Investment	234 Mn
Energy Gen.	11 Mn Kwh/Yr
ROI	38 Month
Benefit	74 Mn Rs/Yr

Project : Hybrid Power 4.0MW	
Capacity	**4.0 MW**
Investment	312 Mn
Energy Gen.	15 Mn Kwh/Yr
ROI	38 Month
Benefit	99 Mn Rs/Yr

Project : Wind 2.7 MW	
Capacity	**2.7 MW**
Investment	180 Mn
Energy Gen.	9.1 Mn Kwh/Yr
ROI	38 Month
Benefit	56 Mn Rs/Yr

Project : Solar Cooking System	
Capacity	**296 SCM/Day**
Investment	22 Mn
Energy Saving	0.1 Mn SCM/Yr
ROI	45 Month
Benefit	6 Mn Rs/Yr

Roadmap till 2024 for achieving Zero CO2 Emission

Renewable Energy – Future Plan

Renewable Policy - Gujarat

Max. limit of Wind and Solar installation capacity is 50% of Sanctioned Load for each as per Govt. Policy

	Grid Sanctioned Load		Solar Capacity	Solar Capacity
	A (MVA)	B (MW)	(B / 2)	(B / 2)
HMSI – 4F	14.5	13.0	6.5 MW	6.5 MW

Electricity Sanctioned Load-4F(MW)

AS per Govt Policy Solar & Wind Capacity is 50% of Sanction Load



Solar & Wind Installations



Solar Energy



Wind Energy

Overall Renewable Plan



Renewable Energy Target 69% till 2022

Renewable Energy – Solar Plant

5 MWp Solar Power Plant

- Installation Date : Sep'18
- Roof Area : 40,000 Sq m
- Annual Elect. Generation : 72 Lac Kwh
- Power Generation Voltage : 480V
- Power Evacuation : 11kV

2 MWp Solar Power Plant

- Installation Date : Jul'19
- Roof Area : 16,000 Sq m
- Annual Elect. Generation : 23 Lac Kwh
- Power Generation Voltage : 480V
- Power Evacuation : 415 V

Actual Power Generation Trend-7MW

Yearly Electricity :95 Lac Kwh



5MW Solar Electricity Plant Installed in Sep'18 & 2MW in Jul'19

Renewable Energy- Wind Power Plant

2 MWp Wind Power Plant

- ❑ Installation Date : Jun'20
- ❑ Project Location : Patan
- ❑ Annual Elect. Generation : 42 Lac Kwh
- ❑ CO2 Reduction : 3,133 TON

2.7 MWp Wind Power Plant

- ❑ Installation Date : Aug'21
- ❑ Project Location : Dwarka
- ❑ Annual Elect. Generation : 75 Lac Kwh
- ❑ CO2 Reduction : 5,595 TON

Actual Power Generation Trend-2 MW

Yearly Electricity :42 Lac Kwh



2 MW Windmill installed in Jun'21 & 2.7MW Windmill in Aug'21

Contents

HONDA
The Power of Dreams

HMSI ENVIRONMENT POLICY

As responsible members of society and industry, we Honda Motorcycle and Scooter India Pvt. Ltd. (HMSI), manufacturer of two wheelers, recognize that well being of human and conservation of earth's environment is important. By adopting Environment Management System, HMSI is fast moving towards realization of Honda's Green Factory Concept.

We shall endeavour to continually monitor, improve and conserve the environment in which we operate. HMSI is committed to achieve, environmental excellence in all its activities related to products & services in the following ways.

- Conserving and protecting the environment by preventing pollution at its source of generation and strengthening our existing pollution control system.
- Promote activities for reduction of water consumption, CO2 emission and usage of renewable energy for conservation of resources such as electricity, water and fuels.
- Adopting 3 R principle – Reduce, Reuse & Recycle in all processes thus minimizing waste generation.
- Fulfil all applicable legal / regulatory requirements and compliance obligations and strive to go beyond wherever possible.
- Regular monitoring and reviewing of environmental objectives and take actions to achieve the intended outcomes of Environment Management System.
- Encourage sustainable resource usage, climate change mitigation, adaptation and protection of ecosystems.
- Increasing environment awareness and competence amongst our employees and encourage vendors, suppliers, dealers and other stake holders to adopt Environment Management System.

HMSI will continually improve its environmental management system following PDCA cycle to make it more effective. The policy will be well communicated to our employees as well as persons working on our behalf and to the general public.

Date : 01-11-2017
Place: Gurugram

Promote activities for reduction of Waste

President & C.E.O

HMSI Environment policy consist Waste management

Waste & VOC Reduction Activities

Waste Generation Trend



Major Waste Reduction Activities

94 Ki | 95 Ki | 96 Ki - 97 Ki

Co-processing of Incineration Waste

Reuse : 700 MT/Year

Al. recovery in DC



Recovery : 39 MT/Year

Sheet Metal Blank Size Reduction

Red. : 800 MT/Year

Sludge Drying

Recovery : 100 MT/Year

Bio-composting of Organic Waste

Reuse : 144 MT/Year

Avoid Single Use Plastic in packing

Reuse : 10 MT/Year

VOC Emission Trend



Major VOC Reduction Activities

94 Ki | 95 Ki | 96 Ki - 97 Ki

Waste Thinner Recovery

Impact : 4 gm/m²

Primer less Technology

Impact : 3 gm/m²



Mono-coat System

Mono-coat System



Matt Finish 2 gm/m²

Shine Finish 2 gm/m²

Improve Bell cup eff.

Impact : 1 gm/m²

Aiming 100% recycling of both hazardous & non-hazardous waste with zero waste to landfilling

Contents

GHG Management System: Scope 1 Calculation

SCOPE 1
Calculation
Datasheet

Sources



HSD: DG & Forklifts




LNG: MF,HWG's & Canteen


Gasoline: Veh.Test.



Other's: CO2 filling & Refrigerant

Calculation

Year	CO2 from HSD (Ton)	CO2 from LNG (Ton)	CO2 from Gasoline (In Ton)	CO2 from Fire cylinder (Ton)	CO2 from Refrigerant refilling (Ton)	Total CO2 Emission (In Ton)/Year	Production (Nos. of Scooters & Scooterettes)	KG/ veh.
2018-19	14.69	10690	310	1.350	0.015	11,016	12,71,283	8.66
2019-20	13.82	8312	270	1.350	0.010	8,597	11,29,275	7.61
2020-21	16.91	5520	249	0.900	0.006	5,786	8,94,113	6.47
Total						**25400**		

CO2 Factor Source: ASH, Sarasin Headquarters office, Thailand

CO2 emission factor:

Sources	CO2 emission factor
HSD	2.68
LNG	2.84
Gasoline	2.3
CO2 fire cylinder	45 Kg/Cylinder



Total 25,400 ton CO_2 emission in last 3 years.

GHG Management System: Scope 2 Calculation

Sources

1: Electricity consumption from Grid

SCOPE 2
Calculation datasheet

Calculation

Year	Grid supply (KwH)	CO2 factor	UOM	Total CO2 Emission (In Ton)/Year	Production (Nos. of Scooters & Scooterettes)	Kg/ Veh.	Status
2018-19	5,03,93,400	0.856	Ton/ MwH	43,137	12,71,283	34	
2019-20	4,18,32,900	0.813		34,010	11,29,275	30.1	12 %
2020-21	3,06,49,500	0.726		22,251	8,94,113	24.8	18 %
Total				**99,398**	**32,94,671**		

CO2 Factor Source: ASH, Sarasin Headquarters office, Thailand

Electricity consumption from Grid supply is considered in scope 2 CO_2 emission.

GHG Management system: Scope 3 Calculation

Sources



SCOPE 3:
Calculation Datasheet

Scrap Mgmt., Haz. waste disposal, Employee commute & Suppliers & Dealers

Calculation

Years	Scrap: CO_2 emission (In Ton)	Haz. waste: CO2 emission (In Ton)	Suppliers: CO_2 emission (In Ton)	Dealers: CO_2 emission (In Ton)	Employee commute: CO_2 emission (In Ton)	Total CO_2 emission (In Ton/Year)
2019-20	129	14.86	182	16,094	215	16,635
2020-21	72.09	9.85	155	10,100	215	10,552
Total	201.09	24.71	337	26,194	430	**27,187**

Calculations from Scope 1, 2 & 3 CO2 emission

Scope 1 (Fuel resources)	**Scope 2** (Grid supply)	**Scope 3** (Waste disposal & suppliers)	**Total (Scope 1,2 & 3)**
Fuel consumption	Grid supply	Waste disposal, employee commute, Dealer & Suppliers end	1,51,985 Ton
25,400 Ton	99,398 Ton	27,187 Ton	

Total CO2 emission from Scope 1 & 2 is 1,51,985 Ton for the period of Last 3 Years

Car pooling to reduce GHG's

Our leaders opting car pooling instead of their individuals cars

Key Project Results:

14 Cars were not used out of 32 Cars

Distance from Ahmedabad to Vithalapur: **80 Km**
2240 Km's usage saved everyday

150 Ltrs. of Petrol saved

340 Kg's of CO2 emission saved everyday

They have done their bit for a greener future!!!



Small Initiatives taken by Top Management to save Mother Earth.

HONDA

BLUE SKIES FOR OUR CHILDREN

Contents

➢ Green Supply Policy

❑ Green supply chain commitment

HONDA
The Power of Dreams

HMSI ENVIRONMENT POLICY

As responsible members of society and industry, we Honda Motorcycle and Scooter India Pvt. Ltd. (HMSI), manufacturer of two wheelers, recognize that well being of human and conservation of earth's environment is important. By adopting Environment Management System, HMSI is fast moving towards realization of Honda's Green Factory Concept.

We shall endeavour to continually monitor, improve and conserve the environment in which we operate. HMSI is committed to achieve, environmental excellence in all its activities related to products & services in the following ways.

- Conserving and protecting the environment by preventing pollution at its source of generation and strengthening our existing pollution control system.
- Promote activities for reduction of water consumption, CO2 emission and usage of renewable energy for conservation of resources such as electricity, water and fuels.
- Adopting 3 R principle – Reduce, Reuse & Recycle in all processes thus minimizing waste generation.
- Fulfil all applicable legal / regulatory requirements and compliance obligations and strive to go beyond wherever possible.
- Regular monitoring and reviewing of environmental objectives and take actions to achieve the intended outcomes of Environment Management System.
- Encourage sustainable resource usage, climate change mitigation, adaptation and protection of ecosystems.
- Increasing environment awareness and competence amongst our employees and encourage vendors, suppliers, dealers and other stake holders to adopt Environment Management System.

HMSI will continually improve its environmental management system following PDCA cycle to make it more effective. The policy will be well communicated to our employees as well as persons working on our behalf and to the general public.

Date : 01-11-2017
Place: Gurugram

President & C.E.O

❑Honda Green Purchase Policy

II. Honda Green Purchasing Policy

For Honda, activities to conserve the global environment establish an important pillar in our corporate policies. Our goal is to reduce our environmental footprint over the entire life cycle of our products, from product development to purchasing, production, administration, transportation, and to sales and recycling.

To carry out these activities effectively, we are continuing to take strong measures to reduce our environmental footprint in each area, together with our suppliers. We are also adding E (Environment) to our supplier evaluation categories (*1) of Q (Quality), C (Cost), D (Delivery) and D (Development) to allow us to more actively encourage purchasing environmentally friendly parts and materials.

Below is a list of the individual areas in Honda green purchasing activities.

- Environmental management activities to ensure environmental control for products (parts and materials) and corporate activities
- Corporate activities (*2) to supply these products (parts and materials) (Development, Purchasing, Production, Administration, Transportation, Sales, Recycling)
- Products (parts and materials, etc.) purchased by Honda

Collectively, these are referred to as the areas of our environmental activities.

For each area, the overall purchasing activities of sharing policies with suppliers and achieving targets together are called Honda green purchasing activities.

(*1) The results of activities at each supplier in response to these guidelines may be evaluated.

(*2) Corporate activities cover all activities related to Honda products (including not only first-tier but also sub-tier suppliers).

Target setting done for supplier's awareness improvement

CO2 Reduction Activity Status

❑ CO2 Reduction Guidelines

Objective:

*Reduce the **Global Warming** through energy saving initiatives.*

Reduction Target @ 1% Per Year

Target Area :

Reduction Result <Ton>:



❑ FY21-22 Activities Schedule

Major Activities	Unit	Tgt. Date	Status
Splr Selection for 95ki activities <4F>	4 Splrs	**Aug'21**	**O**
Slimoffice Nomination <HO Drive> (Representative & Approver)	55 Splrs	**Oct'21**	**O**
Slimoffice Registration & User id distribution <HO Drive>	55 Splrs	**May'19**	**O**
Training & Target Explanation	New Splrs / Person change	**Jun'19**	**O**
Splrs 96ki CO2 Data Collection <4F> • *To calculate CO2 Reduction of 94ki as per ASH/HM Japan guideline)*		**Mar'20**	**U/process**
Environment Award 95ki <HO Drive> •*On the basis of Suppliers GHG Rating*  • Evaluation of implemented c'measures • Verification of documents • Genba & proposing good reduction ideas		**Feb'19**	**O**

❑ Examples of CO2 Reduction Kaizens

IGBT Type Rectifier

PNG Melting Furnace

Co2 Main Line loop closed



Energy Efficient Compressor

CO2 Reduction activities are in progress as per ASH / HM Japan Guidelines

❑ Corrugation Box Reduction

Objective:

*Reduce the **Paper Use** through Corrugation Packing reduction*

Reduction Target @ 1% Per Year

Target Area :

❑ FY19-20 Activities Schedule

Major Activities	Unit	Tgt. Date	Status
Splr/Part Selection for 95ki activities <4F>	6 Splrs	**Apr'19**	**O**
Training & Target Explanation	6 Splrs	**Jun'19**	**O**
Splrs 96ki Corrugation Box use Data Collection <4F> • *To be used as base for next years*	23 Plan Actual	**Mar'20**	**U/process**

❑ Examples of Corrugation Box use Reduction

Packing Corrugation → PP Box

Packing Corrugation → PP Box

Corrugation → PP Bin

Reuse of Corrugation box

Corrugation Box use reduction is in progress

Contents

Energy Monitoring System

Electricity Monitoring (Line wise)



Conceptual Layout

LNG Monitoring (Line wise)



Compressed Air (Department wise)



Production Line wise Energy Monitoring

Energy Monitoring System

Monitoring System



Energy and Efficiency Monitoring

- ❑ Kwh , Water , LNG and Compressed Air
- ❑ Online Compressor Performance
- ❑ Electric Distribution Loss
- ❑ Monitoring of Heat Recovery
- ❑ Compressed air leakage monitoring

Energy Review

- ❑ Daily Report to all users
- ❑ Plan vs Actual Energy Gap Analysis review by Plant Head

Portable Instruments

Power Analyzer

Thermal Camera

Temp logger

Automation in Energy Monitoring System

Energy Management Concept

Management Review



Yearly Action Plan



Energy Committee

Variance Analysis



Score Card

- Energy Target Setting
- Major Energy Saving Projects



- Daily Energy Reports
- Variance Analysis
- Monthly Review

- Energy Committee
- Identify & Reduce Wastages

PDCA approach in Energy Management System

Energy Monitoring and Control

Daily Morning Review

Daily Variance Analysis

Daily Shop E-mail

Monthly MIS

Monthly MRM

	Core Cell Member	Energy Manager	Production Department		Division Head-PE	Finance	Plant Head
			Energy Coordinator	Department Manager			
Daily Consumption Report	●	●	●	●	●		
Daily variance analysis	●	●	●	●	●		
Monthly variance analysis	●	●			●	●	●
Monthly consumption report	●	●			●	●	●

Comprehensive review mechanism in place for energy consumption



Energy Committee

Monthly Meeting

Suggestions





Suggestions

Lighting — 16



Equipment — 6



HVAC & Mis. — 5

Sr no.	Summary	Saving Kwh /Yr.	Cat.	Invest. (Rs)	Status
1	Use the Sludge pool booth water curtain line to primer zone water curtain	1,63,943		10,000	Done
2	Hydraulic Motor keep Off while no operation in machine in ideal condition	89,438		-	Done
3	Convert Booth inside tube lights into LED lights.	89,424		20,000	Done
4	Overhead light required timer .	62,928		10,000	Done
5	Providing the VFD & control the frequency of UF Module Circulation pump.	45,954		-	Done
6	Paint shop's many area are having halogen light that need to replace with LED light	35,770		2,00,000	Done
7	Timer to be installed in Meeting room(2 nos.),Training room(1 Nos.),Office(3 nos.).	28,980		30,000	Done
8	DC maintenance required separate lighting switch to control.	16,560		-	Done
9	Electricity Saving in meeting room by OFF the AC between 2:30-03:30pm.	15,456		-	Done
10	Energy saving by separating CKD/CBU lights with rest MS area lights.	13,116		-	Done
11	Timer based ON/OFF of press shop over head lights.	12,420		-	Done
12	PPBS and inspection area lights are getting on in day time ,timer need to install.	10,201		-	Done
13	Required separate control of lighting in HPDC and LPDC RFD area.	8,280		-	Done
14	Lighting in deburring room controlled with timer.	7,154		10,000	Done
15	Energy Saving by separating marshal loading single lights with rest MS area.	5,299		-	Done
16	Timer based auto ON/OFF of over head lights in BOP trolley storage area.	4,968		10,000	Done
17	Light separation in tool room, Training Island area.	4,928		-	Done
18	Timer based auto ON/OFF of lights in Gas bank area.	1,060		-	Done
19	Lighting Pattern to be change in QC/EQ Lab.	848		-	Done
20	Power save when machine not in use. Separate socket for LPDC machine.	199		-	Done
21	Pool cord in reception area lighting.	1,303		-	In process
22	(B1 to B2) shift time auto stopping Drive motor of Conveyors.	-		-	In process
23	To reduce the elect. consumption by Tube lights connection separation in DC & MA	-		-	In process
24	To reduce the electricity consumption in Fume Exhaust System by installing timer	-		-	In process
25	Energy saving by increase natural light installing in weld shop	-		-	In process
26	Energy saving by control air leakages in weld shop	-		-	In process
27	Power saving by reducing the ASU & Exhaust fan frequency during Lunch break.	-		-	In process
	Total	**6,18,230**		**2,90,000**	

Teamwork and Participation of Associates in Energy Committee

Contents

GreenCo. Certification

GreenCo. Platinum
Score 830/1000

1 Launch & Training

2 Self Assessment & Document.

3 Implement Best Practice

4 Handholding Visit & Pre-Assessment

5 Final Assessment

Benefit Summary

10,454 TON/YEAR

78,000 KL/YEAR

3 GM/M^2

112 MILLION/YEAR

Key Learning

Prepare Plant Level Policy

Improvement Requires in Energy Monitoring

Should opt for ISO 50001

Work with Community to maintain Pond Water Quality

2022-23 Key Activities for Environment

Product Life Cycle Assessment

Carbon Neutrality



Water Neutrality



Certified Green Professional

Platinum+ (Benchmarking)

Awarded Platinum Certification (World Class Company Rating) from CII

Contents

HMSI-4F Award & Achievement

Award

National Water Award For Water Conservation
3rd Prize at National Level for Conservation Effort

2018

Energy Efficient Unit by CII 20th National Award
For Energy Efficiency

2019

GreenCo. Platinum Award by CII
Scored 830 out of 1000 points

2020

Best Env. Practices Awards by CII
Vacuum Die Cooling selected Best Env. Practice

2020

Best Env. Practices Awards by CII
Capacity Enhancement & Waste minimization

2021

Achievement

Zero Waste to Landfill
Co-processing instead of landfill/ incineration of
- Paint Sludge
- Jig Stripping Sludge
- ETP Sludge
- Phosphate Sludge

Zero Ground Water Use
Using only river water & now started using rain water for industrial as well as domestic purpose

70% CO_2 reduction in last 5 year by
- 7 MW solar power
- 6 MW Wind Power
- Heat Recovery
- Energy Efficiency Improve

38% Green Cover inside plant
- 43,412 m^2 Tree Plant
- 13,699 m^2 Hedge Plant
- 11,830 m^2 Shrubbery Plant
  70,959 m^2 Lawn Area

Many award and achievement by 4F to show case how we care of environment

BLUE SKIES FOR OUR CHILDREN

Thank You...